

5. DAFTAR PUSTAKA

- Albanese, D., Di Matteo, M., Poiana, M., & Spagnamusso, S. (2009). Espresso coffee (EC) by POD: Study of thermal profile during extraction process and influence of water temperature on chemical-physical and sensorial properties. *Food Research International*, 42(5–6), 727–732. <https://doi.org/10.1016/j.foodres.2009.02.027>
- Andueza, S., Maeztu, L., Dean, B., De Peña, M. P., Bello, J., & Cid, C. (2002). Influence of water pressure on the final quality of Arabica espresso coffee. Application of multivariate analysis. *Journal of Agricultural and Food Chemistry*, 50(25), 7426–7431. <https://doi.org/10.1021/jf0206623>
- Andueza, S., Paz De Peña, M., & Cid, C. (2003). Chemical and Sensorial Characteristics of Espresso Coffee As Affected by Grinding and Torrefacto Roast. *Journal of Agricultural and Food Chemistry*, 51(24), 7034–7039. <https://doi.org/10.1021/jf034628f>
- Anonym. (2015). Perpustakaan Kementerian Perindustrian. Retrieved March 2, 2018, from <http://lib.kemenperin.go.id/neo/detail.php?id=234339>
- Ashihara, H., & Crozier, A. (2001). Caffeine: A well known but little mentioned compound in plant science. *Trends in Plant Science*, 6(9), 407–413. [https://doi.org/10.1016/S1360-1385\(01\)02055-6](https://doi.org/10.1016/S1360-1385(01)02055-6)
- Barone, J. J., & Roberts, H. R. (1996). Caffeine Consumption. *Fd Chem. Toxic*, 34(I), 119–129. [https://doi.org/10.1016/0278-6915\(95\)00093-3](https://doi.org/10.1016/0278-6915(95)00093-3)
- Bell, L. N., Wetzell, C. R., & Grand, A. N. (1996). Caffeine content in coffee as influenced by grinding and brewing techniques. *Food Research International*, 29(8), 785–789. [https://doi.org/10.1016/S0963-9969\(97\)00002-1](https://doi.org/10.1016/S0963-9969(97)00002-1)
- Bhumiratana, N., Adhikari, K., & Chambers, E. (2011). Evolution of sensory aroma attributes from coffee beans to brewed coffee. *LWT - Food Science and Technology*, 44(10), 2185–2192. <https://doi.org/10.1016/j.lwt.2011.07.001>
- Blumberg, S., Frank, O., & Hofmann, T. (2010). Quantitative studies on the influence of the bean roasting parameters and hot water percolation on the concentrations of bitter compounds in coffee brew. *Journal of Agricultural and Food Chemistry*, 58(6), 3720–3728. <https://doi.org/10.1021/jf9044606>
- Britta Folmer. (2012). *The Craft and Scienc of Coffee*. <https://doi.org/10.1002/9781118241455.fmatter>
- Caporaso, N., Genovese, A., Canela, M. D., Civitella, A., & Sacchi, R. (2014). Neapolitan coffee brew chemical analysis in comparison to espresso, moka and American brews. *Food Research International*, 61, 152–160. <https://doi.org/10.1016/j.foodres.2014.01.020>
- Casal, S., Beatriz Oliveira, M., & Ferreira, M. A. (2000). HPLC/diode-array applied to the thermal degradation of trigonelline, nicotinic acid and caffeine in coffee. *Food Chemistry*, 68(4), 481–485. [https://doi.org/10.1016/S0308-8146\(99\)00228-9](https://doi.org/10.1016/S0308-8146(99)00228-9)
- Cazeneuve, C., Pons, G., Rey, E., Treluyer, J., Cresteil, T., Thiroux, G., ... Olive, G. (1994). Biotransformation of caffeine in human liver microsomes from foetuses, neonates, infants and adults. *British Journal of Clinical Pharmacology*, 37(5), 405–412.

<https://doi.org/10.1111/j.1365-2125.1994.tb05706.x>

- Cheng, B., Furtado, A., Smyth, H. E., & Henry, R. J. (2016). Influence of genotype and environment on coffee quality. *Trends in Food Science and Technology*, 57, 20–30. <https://doi.org/10.1016/j.tifs.2016.09.003>
- Clarke, R. J., & Vitzthum, O. G. (2001). *Coffee-Recent Developments* (1st ed.). Berlin, Germany: Blackwell Science Ltd.
- Clifford, M. N. (1985). Chlorogenic Acids. In *Coffee* (pp. 153–202). Dordrecht: Springer Netherlands. https://doi.org/10.1007/978-94-009-4948-5_5
- CSPI, C. for S. in the P. I. (2007). Caffeine Chart | Center for Science in the Public Interest. Retrieved July 25, 2018, from <https://cspinet.org/eating-healthy/ingredients-of-concern/caffeine-chart>
- Davídek, T., Devaud, S., Robert, F., & Blank, I. (2006). Sugar fragmentation in the maillard reaction cascade: Isotope labeling studies on the formation of acetic acid by a hydrolytic β -dicarbonyl cleavage mechanism. *Journal of Agricultural and Food Chemistry*, 54(18), 6667–6676. <https://doi.org/10.1021/jf060667q>
- de Roos, K. B. (2006). Understanding and controlling the behaviour of aroma compounds in thermally processed foods. *Trends in Food Science and Technology*, 17(5), 236–243. <https://doi.org/10.1016/j.tifs.2005.11.008>
- Derossi, A., Caporizzi, R., Fiore, A., & Severini, C. (2017). How grinding levels and brewing methods (Espresso, American, Turkish) could affect the antioxidant activity and bioactive compounds in a coffee cup Accepted. *Chem. Eur. J.*, ASAP-10.1002/chem.201704534. <https://doi.org/10.1002/chem.201704534>
- Derossi, A., Ricci, I., Caporizzi, R., Fiore, A., & Severini, C. (2018). How grinding level and brewing method (Espresso, American, Turkish) could affect the antioxidant activity and bioactive compounds in a coffee cup. *Journal of the Science of Food and Agriculture*. <https://doi.org/10.1002/jsfa.8826>
- DiBartola, S. P., & DiBartola, S. P. (2012). Introduction to Acid-Base Disorders. In *Fluid, Electrolyte, and Acid-Base Disorders in Small Animal Practice* (pp. 231–252). Elsevier. <https://doi.org/10.1016/B978-1-4377-0654-3.00016-0>
- Dulsat-Serra, N., Quintanilla-Casas, B., & Vichi, S. (2015). Volatile thiols in coffee: A review on their formation, degradation, assessment and influence on coffee sensory quality. *Food Research International*. <https://doi.org/10.1016/j.foodres.2016.02.008>
- Edzuan, A. M. F., Aliah, A. M. N., & Bong, H. L. (2015). Physical and Chemical Property Changes of Coffee Beans during Roasting, 5, 56–60. <https://doi.org/10.5923/c.chemistry.201501.09>
- Esquivel, P., & Jiménez, V. M. (2012). Functional properties of coffee and coffee by-products. *Food Research International*, 46(2), 488–495. <https://doi.org/10.1016/j.foodres.2011.05.028>
- Fadai, N. T., Melrose, J., Please, C. P., Schulman, A., & Van Gorder, R. A. (2017). A heat and mass transfer study of coffee bean roasting. *International Journal of Heat and Mass Transfer*, 104, 787–799. <https://doi.org/10.1016/j.ijheatmasstransfer.2016.08.083>

- Fujioka, K., & Shibamoto, T. (2008). Chlorogenic acid and caffeine contents in various commercial brewed coffees. *Food Chemistry*, 106(1), 217–221. <https://doi.org/10.1016/j.foodchem.2007.05.091>
- Fuller, M., & Rao, N. Z. (2017). The Effect of Time, Roasting Temperature, and Grind Size on Caffeine and Chlorogenic Acid Concentrations in Cold Brew Coffee. *Scientific Reports*, 7(1), 17979. <https://doi.org/10.1038/s41598-017-18247-4>
- Fuse, T., Kusu, F., & Takamura, K. (1997). Determination of Acidity of Coffee by Flow Injection Analysis with Electrochemical Detection. *Journal of Agricultural and Food Chemistry*, 45(6), 2124–2127. <https://doi.org/10.1021/jf960690j>
- Gloess, A. N., Sch?nb?chler, B., Klopprogge, B., D'Ambrosio, L., Chatelain, K., Bongartz, A., ... Yeretian, C. (2013). Comparison of nine common coffee extraction methods: Instrumental and sensory analysis. *European Food Research and Technology*, 236(4), 607–627. <https://doi.org/10.1007/s00217-013-1917-x>
- Grosch, W. (1998). Flavour of coffee. A review. *Nahrung-Food*, 42(6), 344–350. [https://doi.org/10.1002/\(sici\)1521-3803\(199812\)42:06<344::aid-food344>3.0.co;2-v](https://doi.org/10.1002/(sici)1521-3803(199812)42:06<344::aid-food344>3.0.co;2-v)
- H.-D. Belitz · W. Grosch · P. Schieberle. (2009). *Food Chemistry*. *Food Chemistry*. <https://doi.org/10.1007/978-3-40-69934-7>
- Heckman, M. A., Weil, J., & de Mejia, E. G. (2010). Caffeine (1, 3, 7-trimethylxanthine) in foods: A comprehensive review on consumption, functionality, safety, and regulatory matters. *Journal of Food Science*, 75(3), 77–87. <https://doi.org/10.1111/j.1750-3841.2010.01561.x>
- Hewlett, P., & Smith, A. (2006). Correlates of daily caffeine consumption. *Appetite*, 46(1), 97–99. <https://doi.org/10.1016/j.appet.2005.10.004>
- Huang, X., Dou, J. yang, Li, D., & Wang, L. jun. (2018). Effects of superfine grinding on properties of sugar beet pulp powders. *LWT - Food Science and Technology*, 87, 203–209. <https://doi.org/10.1016/j.lwt.2017.08.067>
- Illy, A., & Viani, R. (2005). *Espresso coffee: the science of quality*. *Fstadirectcom*. <https://doi.org/10.1017/CBO9781107415324.004>
- Illy, E., & Navarini, L. (2011). Neglected Food Bubbles: The Espresso Coffee Foam. *Food Biophysics*, 6(3), 335–348. <https://doi.org/10.1007/s11483-011-9220-5>
- ILO-ICSC. (n.d.). ICSC 0405 - CAFFEINE. https://doi.org/http://www.ilo.org/dyn/icsc/showcard.display?p_version=2&p_card_id=0405
- Jeon, J. S., Kim, H. T., Jeong, I. H., Hong, S. R., Oh, M. S., Park, K. H., ... Abd El-Aty, A. M. (2017). Determination of chlorogenic acids and caffeine in homemade brewed coffee prepared under various conditions. *Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences*, 1064, 115–123. <https://doi.org/10.1016/j.jchromb.2017.08.041>
- Karpinska, J., Świsłocka, R., & Lewandowski, W. (2017). A mystery of a cup of coffee; an insight look by chemist. *BioFactors*, 43(5), 621–632. <https://doi.org/10.1002/biof.1371>

- Kim, W., Kim, S. Y., Kim, D. O., Kim, B. Y., & Baik, M. Y. (2018). Puffing, a novel coffee bean processing technique for the enhancement of extract yield and antioxidant capacity. *Food Chemistry*, 240, 594–600. <https://doi.org/10.1016/j.foodchem.2017.07.161>
- Kučera, L., Papoušek, R., Kurka, O., Barták, P., & Bednář, P. (2016). Study of composition of espresso coffee prepared from various roast degrees of *Coffea arabica* L. coffee beans. *Food Chemistry*, 199, 727–735. <https://doi.org/10.1016/j.foodchem.2015.12.080>
- Lee, L. W., Cheong, M. W., Curran, P., Yu, B., & Liu, S. Q. (2015). Coffee fermentation and flavor - An intricate and delicate relationship. *Food Chemistry*, 185, 182–191. <https://doi.org/10.1016/j.foodchem.2015.03.124>
- Lee, Y., Moon, S. J., & Montell, C. (2009). Multiple gustatory receptors required for the caffeine response in *Drosophila*. *Proceedings of the National Academy of Sciences of the United States of America*, 106(11), 4495–4500. <https://doi.org/10.1073/pnas.0811744106>
- Liang, N., Xue, W., Kennepohl, P., & Kitts, D. D. (2016). Interactions between major chlorogenic acid isomers and chemical changes in coffee brew that affect antioxidant activities. *Food Chemistry*, 213, 251–259. <https://doi.org/10.1016/j.foodchem.2016.06.041>
- López-Galilea, I., De Peña, M. P., & Cid, C. (2007). Correlation of Selected Constituents with the Total Antioxidant Capacity of Coffee Beverages: Influence of the Brewing Procedure. *Journal of Agricultural and Food Chemistry*, 55(15), 6110–6117. <https://doi.org/10.1021/jf070779x>
- Ludwig, I. A., Sanchez, L., Caemmerer, B., Kroh, L. W., De Peña, M. P., & Cid, C. (2012). Extraction of coffee antioxidants: Impact of brewing time and method. *Food Research International*, 48(1), 57–64. <https://doi.org/10.1016/j.foodres.2012.02.023>
- Maris, S., Maria, C., Abreu, P. De, Menezes, H. C. De, Henrique, M., Marli, C., ... O, D. E. C. (2005). Effect of Processing and Roasting. *Ciencia y Tecnología de Alimentos*, 25(2), 387–393.
- Martins, S., Martins, S. I. F. S., & Jongen, W. M. F. (2001). A review of Maillard reaction in food and implications to kinetic modelling A review of Maillard reaction in food and implications to kinetic modelling. *Trends in Food Science and Technology*, 11, 364–373. [https://doi.org/10.1016/S0924-2244\(01\)00022-X](https://doi.org/10.1016/S0924-2244(01)00022-X)
- Martyn, D., Lau, A., Richardson, P., & Roberts, A. (2018). Temporal patterns of caffeine intake in the United States. *Food and Chemical Toxicology*, 111(October 2017), 71–83. <https://doi.org/10.1016/j.fct.2017.10.059>
- Masella, P., Guerrini, L., Spinelli, S., Calamai, L., Spugnoli, P., Illy, F., & Parenti, A. (2015). A new espresso brewing method. *Journal of Food Engineering*, 146, 204–208. <https://doi.org/10.1016/j.jfoodeng.2014.09.001>
- Meste, M. Le, Champion, D., Roudaut, G., Blond, G., & Simatos, D. (2002). Glass Transition and Food Technology: A Critical Appraisal. *Journal of Food Science*, 67(7), 2444–2458. <https://doi.org/10.1111/j.1365-2621.2002.tb08758.x>
- Mitchell, D. C., Knight, C. A., Hockenberry, J., Teplansky, R., & Hartman, T. J. (2014). Beverage caffeine intakes in the U.S. *Food and Chemical Toxicology*, 63, 136–142. <https://doi.org/10.1016/j.fct.2013.10.042>

- Moon, J. K., Hyui Yoo, S. U. N., & Shibamoto, T. (2009). Role of roasting conditions in the level of chlorogenic acid content in coffee beans: Correlation with coffee acidity. *Journal of Agricultural and Food Chemistry*, 57(12), 5365–5369. <https://doi.org/10.1021/jf900012b>
- Murray, C., & Laredo, T. (2014). Effect of Home Grinding on Properties of Brewed Coffee. *Journal of Food Research*, 4(1), 77. <https://doi.org/10.5539/jfr.v4n1p77>
- Navarini, L., Nobile, E., Pinto, F., Scheri, A., & Suggi-Liverani, F. (2009). Experimental investigation of steam pressure coffee extraction in a stove-top coffee maker. *Applied Thermal Engineering*, 29(5–6), 998–1004. <https://doi.org/10.1016/j.applthermaleng.2008.05.014>
- Parenti, A., Guerrini, L., Masella, P., Spinelli, S., Calamai, L., & Spugnoli, P. (2014). Comparison of espresso coffee brewing techniques. *Journal of Food Engineering*, 121(1), 112–117. <https://doi.org/10.1016/j.jfoodeng.2013.08.031>
- Roy, G. (1992). Bitterness: reduction and inhibition. *Trends in Food Science and Technology*, 3(C), 85–91. [https://doi.org/10.1016/0924-2244\(92\)90143-K](https://doi.org/10.1016/0924-2244(92)90143-K)
- Rubach, M., Lang, R., Hofmann, T., & Somoza, V. (2008). Time-dependent component-specific regulation of gastric acid secretion-related proteins by roasted coffee constituents. *Annals of the New York Academy of Sciences*, 1126, 310–314. <https://doi.org/10.1196/annals.1433.061>
- Santini, A., Ferracane, R., Mikušová, P., Eged, Š., Šrobárová, A., Meca, G., ... Ritieni, A. (2011). Influence of different coffee drink preparations on ochratoxin A content and evaluation of the antioxidant activity and caffeine variations. *Food Control*, 22(8), 1240–1245. <https://doi.org/10.1016/j.foodcont.2011.01.024>
- Severini, C., Derossi, A., Fiore, A. G., De Pilli, T., Alessandrino, O., & Del Mastro, A. (2016). How the variance of some extraction variables may affect the quality of espresso coffees served in coffee shops. *Journal of the Science of Food and Agriculture*, 96(9), 3023–3031. <https://doi.org/10.1002/jsfa.7472>
- Severini, C., Derossi, A., Fiore, A. G., Ricci, I., & Marone, M. (2016). The electronic nose system: study on the global aromatic profile of espresso coffee prepared with two types of coffee filter holders. *European Food Research and Technology*, 242(12), 2083–2091. <https://doi.org/10.1007/s00217-016-2705-1>
- Severini, C., Ricci, I., Marone, M., Derossi, A., & De Pilli, T. (2015). Changes in the aromatic profile of espresso coffee as a function of the grinding grade and extraction time: A study by the electronic nose system. *Journal of Agricultural and Food Chemistry*, 63(8), 2321–2327. <https://doi.org/10.1021/jf505691u>
- Somporn, C., Kamtuo, A., Theerakulpisut, P., & Siriamornpun, S. (2011). Effects of roasting degree on radical scavenging activity, phenolics and volatile compounds of Arabica coffee beans (*Coffea arabica* L. cv. Catimor). *International Journal of Food Science and Technology*, 46(11), 2287–2296. <https://doi.org/10.1111/j.1365-2621.2011.02748.x>
- Spinelli, S., Dinnella, C., Masi, C., Zoboli, G. P., Prescott, J., & Monteleone, E. (2017). Investigating preferred coffee consumption contexts using open-ended questions. *Food Quality and Preference*, 61, 63–73. <https://doi.org/10.1016/j.foodqual.2017.05.003>

- Spiro, M., & Selwood, R. M. (1984). The kinetics and mechanism of caffeine infusion from coffee: The effect of particle size. *Journal of the Science of Food and Agriculture*, 35(8), 915–924. <https://doi.org/10.1002/jsfa.2740350817>
- Sunarharum, W. B., Williams, D. J., & Smyth, H. E. (2014). Complexity of coffee flavor: A compositional and sensory perspective. *Food Research International*, 62, 315–325. <https://doi.org/10.1016/j.foodres.2014.02.030>
- Tfouni, S. A. V., Carreiro, L. B., Teles, C. R. A., Furlani, R. P. Z., Cipolli, K. M. V. A. B., & Camargo, M. C. R. (2014). Caffeine and chlorogenic acids intake from coffee brew: Influence of roasting degree and brewing procedure. *International Journal of Food Science and Technology*, 49(3), 747–752. <https://doi.org/10.1111/ijfs.12361>
- Tfouni, S. A. V., Serrate, C. S., Carreiro, L. B., Camargo, M. C. R., Teles, C. R. A., Cipolli, K. M. V. A. B., & Furlani, R. P. Z. (2012). Effect of roasting on chlorogenic acids, caffeine and polycyclic aromatic hydrocarbons levels in two *Coffea* cultivars: *Coffea arabica* cv. Catua?? Amarelo IAC-62 and *Coffea canephora* cv. Apoat?? IAC-2258. *International Journal of Food Science and Technology*, 47(2), 406–415. <https://doi.org/10.1111/j.1365-2621.2011.02854.x>
- Tran, N. L., Barraj, L. M., Bi, X., & Jack, M. M. (2016). Trends and patterns of caffeine consumption among US teenagers and young adults, NHANES 2003-2012. *Food and Chemical Toxicology*, 94, 227–242. <https://doi.org/10.1016/j.fct.2016.06.007>
- Uman, E., Colonna-Dashwood, M., Colonna-Dashwood, L., Perger, M., Klatt, C., Leighton, S., ... Hendon, C. H. (2016). The effect of bean origin and temperature on grinding roasted coffee. *Scientific Reports*, 6(December 2015), 1–8. <https://doi.org/10.1038/srep24483>
- Wikoff, D., Welsh, B. T., Henderson, R., Brorby, G. P., Britt, J., Myers, E., ... Doepker, C. (2017). Systematic review of the potential adverse effects of caffeine consumption in healthy adults, pregnant women, adolescents, and children. *Food and Chemical Toxicology*, 109, 585–648. <https://doi.org/10.1016/j.fct.2017.04.002>
- Wright, G. A. (2013). Caffeine in Floral Nectar Enhances a, 1202(March), 10–13. <https://doi.org/10.1126/science.1228806>
- Yang, N., Liu, C., Liu, X., Degn, T. K., Munchow, M., & Fisk, I. (2016). Determination of volatile marker compounds of common coffee roast defects. *Food Chemistry*, 211, 206–214. <https://doi.org/10.1016/j.foodchem.2016.04.124>